Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	916	361/152	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:24
S2	189	S1 and (fuel near (inject\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:25
S3	89	S1 and ((fuel near (inject\$5)) same coil)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:06
S4	105756	fuel near inject\$5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:06
S5	100768	fuel ADJ inject\$5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:41
S6	2049	S5 same (power adj (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:08
S7	954	S6 same valve	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:17
S8	228	S7 same (coil coils)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:17
S9	143	S8 same (control controlling)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:17
S10	56	S9 same (detect detection detector sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:17
S11	14	S10 same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:18
S12	52883	S5 same valve	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:17

S13	4979	S12 same (coil coils)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:17
S14	2528	S13 same (control controlling)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:26
S15	690	S14 same (detect detection detector sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:17
S16	148	S15 same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:18
S17	46	S16 same current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:18
S18	38	S17 not S11	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:23
S19	13	S14 same (voltage near (detect detector detecting sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:27
S20	14862	S5 same power	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 15:42
S21	40	S20 same (voltage adj (detect detector detection sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 16:02
S22	51	S20 same (voltage near (detect detector detection sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 16:05
S23	85	maekawa-noriyuki.in.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/16 16:05
S24	100819	fuel adj (inject\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 10:36

S25	22092	S24 same (detect detection detector sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 07:21
S26	11855	S25 same valve	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 07:21
S27	788	S26 same coil	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 07:22
S28	634	S27 same (control controlling)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 07:22
S29	380	S28 same signal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 07:23
S30	91	S29 same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 07:24
S31	1	S30 same inductance	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 07:23
S32	10	S30 same (power adj (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 07:35
S33	182	S24 and 361/152	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 10:19
S34	24	S33 and (voltage near (sensor regulator))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 08:36
S35	2	"0845735".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/17 08:37
S36	1170	S24 same coils	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 09:05

S37	685	S36 same (control controlling (control adj unit))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 09:04
S38	16	S37 same inductance	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 09:07
S39	4	S24 same (coils near inductance)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 11:21
S40	39	S36 same inductance	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 09:07
S41	6754	S24 same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 09:07
S42	671	S41 same (power adj (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 09:08
S43	42	S42 same coils	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 09:08
S44	3	S43 same inductance	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 09:10
S45	20257	coils same inductance	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 09:10
S46	1959	S45 same (power adj (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 09:10
S47	1307	S46 same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 09:10
S48	14	S47 same fuel	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 09:13

S49	729	fuel adj injector adj system	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 09:13
S50	0	("20040118384").PN.	USPAT; USOCR	OR	OFF	2005/11/17 10:20
S51	1	("20040118384").PN.	US-PGPUB; USPAT	OR	OFF	2005/11/17 10:20
S52	2173	S24 same (voltage with (detect detector detection sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 10:42
S53	200	S52 same (coil coils)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 10:42
S54	143	S53 same (control controlling)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 10:42
S55	4	S54 same inductance	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 10:40
S56	197	S24 same (voltage adj (detect detector detection sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 10:42
S57	35	S56 same (coil coils)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 10:42
S58	26	S57 same (control controlling)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 10:42
S59	39581	fuel adj inject\$5	USPAT	OR	OFF	2005/11/17 11:09
S60	3674	S59 same (coil coils)	USPAT	OR	OFF	2005/11/17 11:10
S61	26	S60 same (voltage adj (detection detector detect sensor))	USPAT	OR	OFF	2005/11/17 11:11
S62	2388	S60 same valve	USPAT	OR	OFF	2005/11/17 11:10
S63	11	S62 same (voltage adj (detection detector detect sensor))	USPAT	OR	OFF	2005/11/17 15:13
S64	47928	(coil coils) same inductance	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 11:21

S65	128	S64 same (voltage adj (detect detecting detection sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 11:22
S66	7	S65 same valve	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/17 11:58
S67	3	(("4933805") or ("5532526") or ("6584961")).PN.	USPAT; USOCR	OR	OFF	2005/11/17 11:58
S68	39619	fuel adj (inject\$5 actuator actuators)	USPAT	OR	OFF	2005/11/17 15:18
S69	3676	S68 same (coil coils)	USPAT	OR	OFF	2005/11/17 15:54
S70	34	S69 same (voltage adj (sense sensor monitor detect\$5 senses))	USPAT	OR	OFF	2005/11/17 16:11
S71	8	S70 same (battery adj voltage)	USPAT	OR	OFF	2005/11/17 15:19
S72	16395	fuel adj (injector injectors)	USPAT	OR	OFF	2005/11/17 15:32
S73	697	S69 same switch\$5	USPAT	OR	OFF	2005/11/17 15:33
S74	254	S73 same voltage	USPAT	OR	OFF	2005/11/17 15:55
S75	76	S74 same (chang\$4 select\$5 alter\$3 compensate\$5)	USPAT	OR	OFF	2005/11/17 15:54
S76	7	S75 same induct\$5	USPAT	OR	OFF	2005/11/17 15:34
S77	1	("5293076").PN.	USPAT; USOCR	OR	OFF	2005/11/17 15:45
S78	282	S69 same induct\$5	USPAT	OR	OFF	2005/11/17 15:54
S79	59	S78 same (chang\$4 select\$5 alter\$3 compensate\$5)	USPAT	OR	OFF	2005/11/17 16:12
S80	30	S79 same voltage	USPAT	OR	OFF	2005/11/17 15:55
S81	2	S79 same (voltage adj (sense sensor monitor detect\$5 senses))	USPAT	OR	OFF	2005/11/17 16:08
S82	175	S68 same (voltage adj (sense sensor monitor detect\$5 senses))	USPAT	OR	OFF	2005/11/17 16:11
S83	59	S82 same (chang\$4 select\$5 alter\$3 compensate\$5)	USPAT	OR	OFF	2005/11/17 16:17
S84	8	S69 same (battery adj voltage adj (sense sensor monitor detect\$5 senses))	USPAT	OR	OFF	2005/11/17 16:18
S85	100901	fuel adj (inject\$5 actuator actuators)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/18 08:02
S86	102	S85 same (battery near voltage near (sense sensor monitor detect\$5 senses))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/18 08:05

S87	7165	S85 same (coil coils)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/18 08:05
S88	16	S87 same (battery near voltage near (sense sensor monitor detect\$5 senses))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/11/18 08:05
S89	1	("6120005").PN.	USPAT; USOCR	OR	OFF	2005/11/18 09:38